

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	13	9	22
		% within Sex	.4%	.7%	.5%
	1 (12-23 mo)	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	2-4	Count	3	4	7
		% within Sex	.1%	.3%	.1%
	5-12	Count	6	8	14
		% within Sex	.2%	.6%	.3%
	13-19	Count	100	92	192
		% within Sex	2.8%	7.3%	4.0%
	20-24	Count	404	200	604
		% within Sex	11.4%	15.8%	12.6%
	25-29	Count	552	213	765
		% within Sex	15.6%	16.8%	15.9%
	30-34	Count	665	215	880
		% within Sex	18.8%	17.0%	18.3%
	35-39	Count	704	190	894
		% within Sex	19.9%	15.0%	18.6%
	40-44	Count	518	144	662
		% within Sex	14.6%	11.4%	13.8%
	45-49	Count	280	108	388
		% within Sex	7.9%	8.5%	8.1%
	50-54	Count	143	50	193
		% within Sex	4.0%	3.9%	4.0%
	55-59	Count	77	25	102
		% within Sex	2.2%	2.0%	2.1%
	60-64	Count	38	2	40
		% within Sex	1.1%	.2%	.8%
	65-69	Count	16	3	19
		% within Sex	.5%	.2%	.4%
	70+	Count	13	2	15
		% within Sex	.4%	.2%	.3%
	Unknown	Count	2	0	2
		% within Sex	.1%	.0%	.0%
Total		Count	3536	1266	4802
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1405	263	1668
		% within Sex	39.7%	20.8%	34.7%
	African American	Count	1239	755	1994
		% within Sex	35.0%	59.6%	41.5%
	Hispanic	Count	816	220	1036
		% within Sex	23.1%	17.4%	21.6%
	Asian-Pacific Islander	Count	40	14	54
		% within Sex	1.1%	1.1%	1.1%
	Am Indian-Alaskan	Count	7	4	11
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	29	10	39
		% within Sex	.8%	.8%	.8%
	Total	Count	3536	1266	4802
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1727	0	1727
		% within Sex	48.8%	.0%	36.0%
	IDU	Count	267	152	419
		% within Sex	7.6%	12.0%	8.7%
	M-M & IDU	Count	147	0	147
		% within Sex	4.2%	.0%	3.1%
	Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	273	479	752
		% within Sex	7.7%	37.8%	15.7%
	Transfusion	Count	4	4	8
		% within Sex	.1%	.3%	.2%
	Not Classified	Count	1091	609	1700
		% within Sex	30.9%	48.1%	35.4%
	Ped Parent at Risk	Count	22	18	40
		% within Sex	.6%	1.4%	.8%
	Ped Other-Undet	Count	2	4	6
		% within Sex	.1%	.3%	.1%
	Total	Count	3536	1266	4802
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	4	1663	1	1668
		% within Adult-Ped	8.7%	35.0%	50.0%	34.7%
	African American	Count	25	1968	1	1994
		% within Adult-Ped	54.3%	41.4%	50.0%	41.5%
	Hispanic	Count	15	1021	0	1036
		% within Adult-Ped	32.6%	21.5%	.0%	21.6%
	Asian-Pacific Islander	Count	1	53	0	54
		% within Adult-Ped	2.2%	1.1%	.0%	1.1%
	Am Indian-Alaskan	Count	1	10	0	11
		% within Adult-Ped	2.2%	.2%	.0%	.2%
	Not Specified	Count	0	39	0	39
		% within Adult-Ped	.0%	.8%	.0%	.8%
	Total	Count	46	4754	2	4802
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	8	8	16
		% within Sex	.2%	.7%	.4%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	2-4	Count	2	0	2
		% within Sex	.1%	.0%	.0%
	5-12	Count	4	4	8
		% within Sex	.1%	.4%	.2%
	13-19	Count	77	92	169
		% within Sex	2.3%	8.4%	3.8%
	20-24	Count	362	167	529
		% within Sex	10.9%	15.3%	12.0%
	25-29	Count	509	204	713
		% within Sex	15.3%	18.6%	16.2%
	30-34	Count	677	181	858
		% within Sex	20.4%	16.5%	19.5%
	35-39	Count	630	173	803
		% within Sex	19.0%	15.8%	18.2%
	40-44	Count	511	133	644
		% within Sex	15.4%	12.2%	14.6%
	45-49	Count	290	68	358
		% within Sex	8.7%	6.2%	8.1%
	50-54	Count	134	35	169
		% within Sex	4.0%	3.2%	3.8%
	55-59	Count	71	10	81
		% within Sex	2.1%	.9%	1.8%
	60-64	Count	24	12	36
		% within Sex	.7%	1.1%	.8%
	65-69	Count	6	3	9
		% within Sex	.2%	.3%	.2%
	70+	Count	9	1	10
		% within Sex	.3%	.1%	.2%
	Unknown	Count	3	2	5
		% within Sex	.1%	.2%	.1%
Total		Count	3317	1094	4411
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1423	255	1678
		% within Sex	42.9%	23.3%	38.0%
	African American	Count	1093	640	1733
		% within Sex	33.0%	58.5%	39.3%
	Hispanic	Count	759	189	948
		% within Sex	22.9%	17.3%	21.5%
	Asian-Pacific Islander	Count	18	5	23
		% within Sex	.5%	.5%	.5%
	Am Indian-Alaskan	Count	5	2	7
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	19	3	22
		% within Sex	.6%	.3%	.5%
	Total	Count	3317	1094	4411
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1941	0	1941
		% within Sex	58.5%	.0%	44.0%
	IDU	Count	332	204	536
		% within Sex	10.0%	18.6%	12.2%
	M-M & IDU	Count	217	0	217
		% within Sex	6.5%	.0%	4.9%
	Hemophiliac	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Heterosexual Contact	Count	196	548	744
		% within Sex	5.9%	50.1%	16.9%
	Transfusion	Count	12	7	19
		% within Sex	.4%	.6%	.4%
	Not Classified	Count	604	322	926
		% within Sex	18.2%	29.4%	21.0%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Parent at Risk	Count	11	12	23
		% within Sex	.3%	1.1%	.5%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	Total	Count	3317	1094	4411
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	3	1674	1	1678
		% within Adult-Ped	11.1%	38.2%	20.0%	38.0%
	African American	Count	20	1710	3	1733
		% within Adult-Ped	74.1%	39.1%	60.0%	39.3%
	Hispanic	Count	4	943	1	948
		% within Adult-Ped	14.8%	21.5%	20.0%	21.5%
	Asian-Pacific Islander	Count	0	23	0	23
		% within Adult-Ped	.0%	.5%	.0%	.5%
	Am Indian-Alaskan	Count	0	7	0	7
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	22	0	22
		% within Adult-Ped	.0%	.5%	.0%	.5%
	Total	Count	27	4379	5	4411
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	111	94	205
		% within Sex	.8%	1.8%	1.1%
	1 (12-23 mo)	Count	19	25	44
		% within Sex	.1%	.5%	.2%
	2-4	Count	30	23	53
		% within Sex	.2%	.4%	.3%
	5-12	Count	47	31	78
		% within Sex	.3%	.6%	.4%
	13-19	Count	315	512	827
		% within Sex	2.3%	9.7%	4.3%
	20-24	Count	1543	900	2443
		% within Sex	11.0%	17.1%	12.7%
	25-29	Count	2309	933	3242
		% within Sex	16.5%	17.7%	16.8%
	30-34	Count	2801	874	3675
		% within Sex	20.1%	16.6%	19.1%
	35-39	Count	2816	727	3543
		% within Sex	20.2%	13.8%	18.4%
	40-44	Count	1904	539	2443
		% within Sex	13.6%	10.2%	12.7%
	45-49	Count	1082	315	1397
		% within Sex	7.7%	6.0%	7.3%
	50-54	Count	519	180	699
		% within Sex	3.7%	3.4%	3.6%
	55-59	Count	259	70	329
		% within Sex	1.9%	1.3%	1.7%
	60-64	Count	120	31	151
		% within Sex	.9%	.6%	.8%
	65-69	Count	41	13	54
		% within Sex	.3%	.2%	.3%
	70+	Count	38	9	47
		% within Sex	.3%	.2%	.2%
	Unknown	Count	10	2	12
		% within Sex	.1%	.0%	.1%
Total		Count	13964	5278	19242
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5782	1184	6966
		% within Sex	41.4%	22.4%	36.2%
	African American	Count	4936	3144	8080
		% within Sex	35.3%	59.6%	42.0%
	Hispanic	Count	3044	888	3932
		% within Sex	21.8%	16.8%	20.4%
	Asian-Pacific Islander	Count	99	26	125
		% within Sex	.7%	.5%	.6%
	Am Indian-Alaskan	Count	31	10	41
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	72	26	98
		% within Sex	.5%	.5%	.5%
	Total	Count	13964	5278	19242
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7239	0	7239
		% within Sex	51.8%	.0%	37.6%
	IDU	Count	1578	1039	2617
		% within Sex	11.3%	19.7%	13.6%
	M-M & IDU	Count	1081	0	1081
		% within Sex	7.7%	.0%	5.6%
	Hemophiliac	Count	10	2	12
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	920	2219	3139
		% within Sex	6.6%	42.0%	16.3%
	Transfusion	Count	26	26	52
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	2903	1819	4722
		% within Sex	20.8%	34.5%	24.5%
	Ped Hemophiliac	Count	13	1	14
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	169	153	322
		% within Sex	1.2%	2.9%	1.7%
	Ped Transfusion	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	24	16	40
		% within Sex	.2%	.3%	.2%
	Total	Count	13964	5278	19242
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	77	6884	5	6966
		% within Adult-Ped	20.3%	36.5%	41.7%	36.2%
	African American	Count	214	7862	4	8080
		% within Adult-Ped	56.3%	41.7%	33.3%	42.0%
	Hispanic	Count	79	3850	3	3932
		% within Adult-Ped	20.8%	20.4%	25.0%	20.4%
	Asian-Pacific Islander	Count	2	123	0	125
		% within Adult-Ped	.5%	.7%	.0%	.6%
	Am Indian-Alaskan	Count	1	40	0	41
		% within Adult-Ped	.3%	.2%	.0%	.2%
	Not Specified	Count	7	91	0	98
		% within Adult-Ped	1.8%	.5%	.0%	.5%
	Total	Count	380	18850	12	19242
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	104	94	198
		% within Sex	.8%	1.8%	1.0%
	1 (12-23 mo)	Count	19	25	44
		% within Sex	.1%	.5%	.2%
	2-4	Count	30	22	52
		% within Sex	.2%	.4%	.3%
	5-12	Count	45	29	74
		% within Sex	.3%	.6%	.4%
	13-19	Count	315	510	825
		% within Sex	2.3%	9.8%	4.4%
	20-24	Count	1535	895	2430
		% within Sex	11.2%	17.2%	12.8%
	25-29	Count	2293	928	3221
		% within Sex	16.7%	17.8%	17.0%
	30-34	Count	2776	862	3638
		% within Sex	20.3%	16.5%	19.2%
	35-39	Count	2766	719	3485
		% within Sex	20.2%	13.8%	18.4%
	40-44	Count	1864	526	2390
		% within Sex	13.6%	10.1%	12.6%
	45-49	Count	1040	307	1347
		% within Sex	7.6%	5.9%	7.1%
	50-54	Count	491	177	668
		% within Sex	3.6%	3.4%	3.5%
	55-59	Count	239	66	305
		% within Sex	1.7%	1.3%	1.6%
	60-64	Count	110	29	139
		% within Sex	.8%	.6%	.7%
	65-69	Count	37	12	49
		% within Sex	.3%	.2%	.3%
	70+	Count	32	8	40
		% within Sex	.2%	.2%	.2%
	Unknown	Count	10	2	12
		% within Sex	.1%	.0%	.1%
Total		Count	13706	5211	18917
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	3	3	6
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	8	6	14
		% within Sex	.1%	.1%	.1%
	2-4	Count	34	28	62
		% within Sex	.2%	.5%	.3%
	5-12	Count	104	94	198
		% within Sex	.8%	1.8%	1.0%
	13-19	Count	100	138	238
		% within Sex	.7%	2.6%	1.3%
	20-24	Count	734	582	1316
		% within Sex	5.4%	11.2%	7.0%
	25-29	Count	1543	884	2427
		% within Sex	11.3%	17.0%	12.8%
	30-34	Count	2310	939	3249
		% within Sex	16.9%	18.0%	17.2%
	35-39	Count	2856	829	3685
		% within Sex	20.8%	15.9%	19.5%
	40-44	Count	2682	729	3411
		% within Sex	19.6%	14.0%	18.0%
	45-49	Count	1686	486	2172
		% within Sex	12.3%	9.3%	11.5%
	50-54	Count	901	261	1162
		% within Sex	6.6%	5.0%	6.1%
	55-59	Count	407	138	545
		% within Sex	3.0%	2.6%	2.9%
	60-64	Count	201	59	260
		% within Sex	1.5%	1.1%	1.4%
	65-69	Count	71	21	92
		% within Sex	.5%	.4%	.5%
	70+	Count	63	13	76
		% within Sex	.5%	.2%	.4%
	Unknown	Count	3	1	4
		% within Sex	.0%	.0%	.0%
Total		Count	13706	5211	18917
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5672	1167	6839
		% within Sex	41.4%	22.4%	36.2%
	African American	Count	4842	3104	7946
		% within Sex	35.3%	59.6%	42.0%
	Hispanic	Count	2995	880	3875
		% within Sex	21.9%	16.9%	20.5%
	Asian-Pacific Islander	Count	98	24	122
		% within Sex	.7%	.5%	.6%
	Am Indian-Alaskan	Count	29	10	39
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	70	26	96
		% within Sex	.5%	.5%	.5%
	Total	Count	13706	5211	18917
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7149	0	7149
		% within Sex	52.2%	.0%	37.8%
	IDU	Count	1537	1019	2556
		% within Sex	11.2%	19.6%	13.5%
	M-M & IDU	Count	1061	0	1061
		% within Sex	7.7%	.0%	5.6%
	Hemophiliac	Count	10	2	12
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	906	2203	3109
		% within Sex	6.6%	42.3%	16.4%
	Transfusion	Count	25	25	50
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	2820	1792	4612
		% within Sex	20.6%	34.4%	24.4%
	Ped Hemophiliac	Count	12	1	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	162	150	312
		% within Sex	1.2%	2.9%	1.6%
	Ped Transfusion	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	23	16	39
		% within Sex	.2%	.3%	.2%
	Total	Count	13706	5211	18917
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	72	6762	5	6839
		% within Adult-Ped	19.6%	36.5%	41.7%	36.2%
	African American	Count	207	7735	4	7946
		% within Adult-Ped	56.3%	41.7%	33.3%	42.0%
	Hispanic	Count	79	3793	3	3875
		% within Adult-Ped	21.5%	20.5%	25.0%	20.5%
	Asian-Pacific Islander	Count	2	120	0	122
		% within Adult-Ped	.5%	.6%	.0%	.6%
	Am Indian-Alaskan	Count	1	38	0	39
		% within Adult-Ped	.3%	.2%	.0%	.2%
	Not Specified	Count	7	89	0	96
		% within Adult-Ped	1.9%	.5%	.0%	.5%
	Total	Count	368	18537	12	18917
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	2-4	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	5-12	Count	1	1	2
		% within Sex	.0%	.1%	.1%
	13-19	Count	17	10	27
		% within Sex	.6%	1.2%	.7%
	20-24	Count	113	63	176
		% within Sex	3.9%	7.6%	4.8%
	25-29	Count	242	123	365
		% within Sex	8.5%	14.9%	9.9%
	30-34	Count	465	123	588
		% within Sex	16.2%	14.9%	15.9%
	35-39	Count	702	192	894
		% within Sex	24.5%	23.2%	24.2%
	40-44	Count	542	124	666
		% within Sex	18.9%	15.0%	18.1%
	45-49	Count	380	78	458
		% within Sex	13.3%	9.4%	12.4%
	50-54	Count	207	48	255
		% within Sex	7.2%	5.8%	6.9%
	55-59	Count	99	33	132
		% within Sex	3.5%	4.0%	3.6%
	60-64	Count	51	21	72
		% within Sex	1.8%	2.5%	2.0%
	65-69	Count	20	3	23
		% within Sex	.7%	.4%	.6%
	70+	Count	20	8	28
		% within Sex	.7%	1.0%	.8%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total		Count	2862	827	3689
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1022	161	1183
		% within Sex	35.7%	19.5%	32.1%
	African American	Count	973	507	1480
		% within Sex	34.0%	61.3%	40.1%
	Hispanic	Count	828	149	977
		% within Sex	28.9%	18.0%	26.5%
	Asian-Pacific Islander	Count	30	6	36
		% within Sex	1.0%	.7%	1.0%
	Am Indian-Alaskan	Count	3	1	4
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	6	3	9
		% within Sex	.2%	.4%	.2%
	Total	Count	2862	827	3689
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1445	0	1445
		% within Sex	50.5%	.0%	39.2%
	IDU	Count	247	145	392
		% within Sex	8.6%	17.5%	10.6%
	M-M & IDU	Count	156	0	156
		% within Sex	5.5%	.0%	4.2%
	Hemophiliac	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Heterosexual Contact	Count	260	345	605
		% within Sex	9.1%	41.7%	16.4%
	Transfusion	Count	11	9	20
		% within Sex	.4%	1.1%	.5%
	Not Classified	Count	734	325	1059
		% within Sex	25.6%	39.3%	28.7%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Parent at Risk	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Total	Count	2862	827	3689
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	1181	1	1183
		% within Adult-Ped	25.0%	32.1%	100.0%	32.1%
	African American	Count	2	1478	0	1480
		% within Adult-Ped	50.0%	40.1%	.0%	40.1%
	Hispanic	Count	1	976	0	977
		% within Adult-Ped	25.0%	26.5%	.0%	26.5%
	Asian-Pacific Islander	Count	0	36	0	36
		% within Adult-Ped	.0%	1.0%	.0%	1.0%
	Am Indian-Alaskan	Count	0	4	0	4
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Not Specified	Count	0	9	0	9
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Total	Count	4	3684	1	3689
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.2%	.0%
	2-4	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	5-12	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	13-19	Count	14	10	24
		% within Sex	.6%	1.6%	.8%
	20-24	Count	77	52	129
		% within Sex	3.4%	8.3%	4.4%
	25-29	Count	237	99	336
		% within Sex	10.4%	15.8%	11.6%
	30-34	Count	417	118	535
		% within Sex	18.3%	18.9%	18.4%
	35-39	Count	529	113	642
		% within Sex	23.2%	18.1%	22.1%
	40-44	Count	425	99	524
		% within Sex	18.6%	15.8%	18.0%
	45-49	Count	265	65	330
		% within Sex	11.6%	10.4%	11.3%
	50-54	Count	155	39	194
		% within Sex	6.8%	6.2%	6.7%
	55-59	Count	89	17	106
		% within Sex	3.9%	2.7%	3.6%
	60-64	Count	35	6	41
		% within Sex	1.5%	1.0%	1.4%
	65-69	Count	25	4	29
		% within Sex	1.1%	.6%	1.0%
	70+	Count	11	0	11
		% within Sex	.5%	.0%	.4%
	Unknown	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total		Count	2283	625	2908
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	839	103	942
		% within Sex	36.7%	16.5%	32.4%
	African American	Count	763	400	1163
		% within Sex	33.4%	64.0%	40.0%
	Hispanic	Count	661	119	780
		% within Sex	29.0%	19.0%	26.8%
	Asian-Pacific Islander	Count	13	3	16
		% within Sex	.6%	.5%	.6%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	5	0	5
		% within Sex	.2%	.0%	.2%
	Total	Count	2283	625	2908
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1201	0	1201
		% within Sex	52.6%	.0%	41.3%
	IDU	Count	293	141	434
		% within Sex	12.8%	22.6%	14.9%
	M-M & IDU	Count	154	0	154
		% within Sex	6.7%	.0%	5.3%
	Hemophiliac	Count	4	0	4
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	169	285	454
		% within Sex	7.4%	45.6%	15.6%
	Transfusion	Count	9	6	15
		% within Sex	.4%	1.0%	.5%
	Not Classified	Count	450	187	637
		% within Sex	19.7%	29.9%	21.9%
	Ped Parent at Risk	Count	2	3	5
		% within Sex	.1%	.5%	.2%
	Ped Transfusion	Count	0	1	1
		% within Sex	.0%	.2%	.0%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.3%	.1%
	Total	Count	2283	625	2908
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	940	1	942
		% within Adult-Ped	16.7%	32.4%	100.0%	32.4%
	African American	Count	2	1161	0	1163
		% within Adult-Ped	33.3%	40.0%	.0%	40.0%
	Hispanic	Count	2	778	0	780
		% within Adult-Ped	33.3%	26.8%	.0%	26.8%
	Asian-Pacific Islander	Count	1	15	0	16
		% within Adult-Ped	16.7%	.5%	.0%	.6%
	Am Indian-Alaskan	Count	0	2	0	2
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Not Specified	Count	0	5	0	5
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Total	Count	6	2901	1	2908
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	76	71	147
		% within Sex	.1%	.9%	.2%
	1 (12-23 mo)	Count	39	27	66
		% within Sex	.1%	.3%	.1%
	2-4	Count	38	50	88
		% within Sex	.1%	.6%	.1%
	5-12	Count	55	38	93
		% within Sex	.1%	.5%	.1%
	13-19	Count	267	190	457
		% within Sex	.5%	2.3%	.7%
	20-24	Count	2333	759	3092
		% within Sex	4.2%	9.2%	4.9%
	25-29	Count	8596	1427	10023
		% within Sex	15.5%	17.3%	15.8%
	30-34	Count	13470	1652	15122
		% within Sex	24.3%	20.0%	23.8%
	35-39	Count	12466	1527	13993
		% within Sex	22.5%	18.5%	22.0%
	40-44	Count	8362	1082	9444
		% within Sex	15.1%	13.1%	14.8%
	45-49	Count	4692	598	5290
		% within Sex	8.5%	7.3%	8.3%
	50-54	Count	2442	358	2800
		% within Sex	4.4%	4.3%	4.4%
	55-59	Count	1271	204	1475
		% within Sex	2.3%	2.5%	2.3%
	60-64	Count	680	133	813
		% within Sex	1.2%	1.6%	1.3%
	65-69	Count	353	58	411
		% within Sex	.6%	.7%	.6%
	70+	Count	217	67	284
		% within Sex	.4%	.8%	.4%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	55359	8241	63600
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	29439	2138	31577
		% within Sex	53.2%	25.9%	49.6%
	African American	Count	14299	4620	18919
		% within Sex	25.8%	56.1%	29.7%
	Hispanic	Count	11299	1437	12736
		% within Sex	20.4%	17.4%	20.0%
	Asian-Pacific Islander	Count	208	33	241
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	79	7	86
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	35	6	41
		% within Sex	.1%	.1%	.1%
	Total	Count	55359	8241	63600
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	35790	0	35790
		% within Sex	64.7%	.0%	56.3%
	IDU	Count	6213	2680	8893
		% within Sex	11.2%	32.5%	14.0%
	M-M & IDU	Count	5634	0	5634
		% within Sex	10.2%	.0%	8.9%
	Hemophiliac	Count	248	11	259
		% within Sex	.4%	.1%	.4%
	Heterosexual Contact	Count	2440	3505	5945
		% within Sex	4.4%	42.5%	9.3%
	Transfusion	Count	437	259	696
		% within Sex	.8%	3.1%	1.1%
	Confirmed Other	Count	0	2	2
		% within Sex	.0%	.0%	.0%
	Not Classified	Count	4349	1577	5926
		% within Sex	7.9%	19.1%	9.3%
	Ped Hemophiliac	Count	55	0	55
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	166	174	340
		% within Sex	.3%	2.1%	.5%
	Ped Transfusion	Count	23	20	43
		% within Sex	.0%	.2%	.1%
	Ped Confirmed Other	Count	0	2	2
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	4	11	15
		% within Sex	.0%	.1%	.0%
Total	Count	55359	8241	63600	
	% within Sex	100.0%	100.0%	100.0%	

a. State = Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	93	31482	2	31577
		% within Adult-Ped	23.6%	49.8%	100.0%	49.6%
	African American	Count	193	18726	0	18919
		% within Adult-Ped	49.0%	29.6%	.0%	29.7%
	Hispanic	Count	106	12630	0	12736
		% within Adult-Ped	26.9%	20.0%	.0%	20.0%
	Asian-Pacific Islander	Count	2	239	0	241
		% within Adult-Ped	.5%	.4%	.0%	.4%
	Am Indian-Alaskan	Count	0	86	0	86
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Not Specified	Count	0	41	0	41
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Total	Count	394	63204	2	63600
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	23	29	52
		% within Sex	.1%	.6%	.2%
	1 (12-23 mo)	Count	13	16	29
		% within Sex	.1%	.3%	.1%
	2-4	Count	19	23	42
		% within Sex	.1%	.5%	.1%
	5-12	Count	19	22	41
		% within Sex	.1%	.4%	.1%
	13-19	Count	146	132	278
		% within Sex	.6%	2.6%	.9%
	20-24	Count	1047	489	1536
		% within Sex	4.3%	9.6%	5.2%
	25-29	Count	3347	915	4262
		% within Sex	13.7%	17.9%	14.5%
	30-34	Count	5797	1047	6844
		% within Sex	23.8%	20.5%	23.2%
	35-39	Count	5754	962	6716
		% within Sex	23.6%	18.9%	22.8%
	40-44	Count	3924	653	4577
		% within Sex	16.1%	12.8%	15.5%
	45-49	Count	2202	388	2590
		% within Sex	9.0%	7.6%	8.8%
	50-54	Count	1117	214	1331
		% within Sex	4.6%	4.2%	4.5%
	55-59	Count	535	113	648
		% within Sex	2.2%	2.2%	2.2%
	60-64	Count	235	49	284
		% within Sex	1.0%	1.0%	1.0%
	65-69	Count	116	27	143
		% within Sex	.5%	.5%	.5%
	70+	Count	52	22	74
		% within Sex	.2%	.4%	.3%
	Unknown	Count	2	0	2
		% within Sex	.0%	.0%	.0%
Total		Count	24348	5101	29449
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	2	3	5
		% within Sex	.0%	.1%	.0%
	5-12	Count	41	43	84
		% within Sex	.2%	.8%	.3%
	13-19	Count	34	56	90
		% within Sex	.1%	1.1%	.3%
	20-24	Count	210	143	353
		% within Sex	.9%	2.8%	1.2%
	25-29	Count	759	461	1220
		% within Sex	3.1%	9.0%	4.1%
	30-34	Count	2358	799	3157
		% within Sex	9.7%	15.7%	10.7%
	35-39	Count	4978	1036	6014
		% within Sex	20.4%	20.3%	20.4%
	40-44	Count	6222	1016	7238
		% within Sex	25.6%	19.9%	24.6%
	45-49	Count	4554	687	5241
		% within Sex	18.7%	13.5%	17.8%
	50-54	Count	2643	431	3074
		% within Sex	10.9%	8.4%	10.4%
	55-59	Count	1393	214	1607
		% within Sex	5.7%	4.2%	5.5%
	60-64	Count	651	110	761
		% within Sex	2.7%	2.2%	2.6%
	65-69	Count	302	48	350
		% within Sex	1.2%	.9%	1.2%
	70+	Count	200	53	253
		% within Sex	.8%	1.0%	.9%
Unknown	Count	1	1	2	
	% within Sex	.0%	.0%	.0%	
Total	Count	24348	5101	29449	
	% within Sex	100.0%	100.0%	100.0%	

a. State = Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10973	1195	12168
		% within Sex	45.1%	23.4%	41.3%
	African American	Count	7181	2926	10107
		% within Sex	29.5%	57.4%	34.3%
	Hispanic	Count	5996	943	6939
		% within Sex	24.6%	18.5%	23.6%
	Asian-Pacific Islander	Count	128	26	154
		% within Sex	.5%	.5%	.5%
	Am Indian-Alaskan	Count	45	6	51
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	25	5	30
		% within Sex	.1%	.1%	.1%
	Total	Count	24348	5101	29449
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	14546	0	14546
		% within Sex	59.7%	.0%	49.4%
	IDU	Count	2959	1484	4443
		% within Sex	12.2%	29.1%	15.1%
	M-M & IDU	Count	2379	0	2379
		% within Sex	9.8%	.0%	8.1%
	Hemophiliac	Count	65	7	72
		% within Sex	.3%	.1%	.2%
	Heterosexual Contact	Count	1528	2265	3793
		% within Sex	6.3%	44.4%	12.9%
	Transfusion	Count	92	73	165
		% within Sex	.4%	1.4%	.6%
	Not Classified	Count	2682	1168	3850
		% within Sex	11.0%	22.9%	13.1%
	Ped Hemophiliac	Count	23	0	23
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	64	90	154
		% within Sex	.3%	1.8%	.5%
	Ped Transfusion	Count	8	3	11
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	2	10	12
		% within Sex	.0%	.2%	.0%
	Total	Count	24348	5101	29449
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	34	12132	2	12168
		% within Adult-Ped	20.7%	41.4%	100.0%	41.3%
	African American	Count	81	10026	0	10107
		% within Adult-Ped	49.4%	34.2%	.0%	34.3%
	Hispanic	Count	49	6890	0	6939
		% within Adult-Ped	29.9%	23.5%	.0%	23.6%
	Asian-Pacific Islander	Count	0	154	0	154
		% within Adult-Ped	.0%	.5%	.0%	.5%
	Am Indian-Alaskan	Count	0	51	0	51
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	30	0	30
		% within Adult-Ped	.0%	.1%	.0%	.1%
	Total	Count	164	29283	2	29449
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

State = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	127	123	250
		% within Sex	.3%	1.2%	.5%
	1 (12-23 mo)	Count	32	41	73
		% within Sex	.1%	.4%	.2%
	2-4	Count	49	45	94
		% within Sex	.1%	.4%	.2%
	5-12	Count	64	51	115
		% within Sex	.2%	.5%	.2%
	13-19	Count	461	642	1103
		% within Sex	1.2%	6.2%	2.3%
	20-24	Count	2582	1384	3966
		% within Sex	6.8%	13.4%	8.2%
	25-29	Count	5640	1843	7483
		% within Sex	14.8%	17.9%	15.5%
	30-34	Count	8573	1909	10482
		% within Sex	22.5%	18.5%	21.7%
	35-39	Count	8520	1681	10201
		% within Sex	22.4%	16.3%	21.1%
	40-44	Count	5788	1179	6967
		% within Sex	15.2%	11.4%	14.4%
	45-49	Count	3242	695	3937
		% within Sex	8.5%	6.7%	8.1%
	50-54	Count	1608	391	1999
		% within Sex	4.2%	3.8%	4.1%
	55-59	Count	774	179	953
		% within Sex	2.0%	1.7%	2.0%
	60-64	Count	345	78	423
		% within Sex	.9%	.8%	.9%
	65-69	Count	153	39	192
		% within Sex	.4%	.4%	.4%
	70+	Count	84	30	114
		% within Sex	.2%	.3%	.2%
	Unknown	Count	12	2	14
		% within Sex	.0%	.0%	.0%
Total		Count	38054	10312	48366
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	3	3	6
		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	8	6	14
		% within Sex	.0%	.1%	.0%
	2-4	Count	36	31	67
		% within Sex	.1%	.3%	.1%
	5-12	Count	145	137	282
		% within Sex	.4%	1.3%	.6%
	13-19	Count	134	194	328
		% within Sex	.4%	1.9%	.7%
	20-24	Count	944	725	1669
		% within Sex	2.5%	7.0%	3.5%
	25-29	Count	2302	1345	3647
		% within Sex	6.0%	13.0%	7.5%
	30-34	Count	4668	1738	6406
		% within Sex	12.3%	16.9%	13.2%
	35-39	Count	7834	1865	9699
		% within Sex	20.6%	18.1%	20.1%
	40-44	Count	8904	1745	10649
		% within Sex	23.4%	16.9%	22.0%
	45-49	Count	6240	1173	7413
		% within Sex	16.4%	11.4%	15.3%
	50-54	Count	3544	692	4236
		% within Sex	9.3%	6.7%	8.8%
	55-59	Count	1800	352	2152
		% within Sex	4.7%	3.4%	4.4%
	60-64	Count	852	169	1021
		% within Sex	2.2%	1.6%	2.1%
	65-69	Count	373	69	442
		% within Sex	1.0%	.7%	.9%
	70+	Count	263	66	329
		% within Sex	.7%	.6%	.7%
	Unknown	Count	4	2	6
		% within Sex	.0%	.0%	.0%
Total		Count	38054	10312	48366
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	16645	2362	19007
		% within Sex	43.7%	22.9%	39.3%
	African American	Count	12023	6030	18053
		% within Sex	31.6%	58.5%	37.3%
	Hispanic	Count	8991	1823	10814
		% within Sex	23.6%	17.7%	22.4%
	Asian-Pacific Islander	Count	226	50	276
		% within Sex	.6%	.5%	.6%
	Am Indian-Alaskan	Count	74	16	90
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	95	31	126
		% within Sex	.2%	.3%	.3%
	Total	Count	38054	10312	48366
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	21695	0	21695
		% within Sex	57.0%	.0%	44.9%
	IDU	Count	4496	2503	6999
		% within Sex	11.8%	24.3%	14.5%
	M-M & IDU	Count	3440	0	3440
		% within Sex	9.0%	.0%	7.1%
	Hemophiliac	Count	75	9	84
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	2434	4468	6902
		% within Sex	6.4%	43.3%	14.3%
	Transfusion	Count	117	98	215
		% within Sex	.3%	1.0%	.4%
	Not Classified	Count	5502	2960	8462
		% within Sex	14.5%	28.7%	17.5%
	Ped Hemophiliac	Count	35	1	36
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	226	240	466
		% within Sex	.6%	2.3%	1.0%
	Ped Transfusion	Count	9	6	15
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	25	26	51
		% within Sex	.1%	.3%	.1%
	Total	Count	38054	10312	48366
		% within Sex	100.0%	100.0%	100.0%

a. State = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	106	18894	7	19007
		% within Adult-Ped	19.9%	39.5%	50.0%	39.3%
	African American	Count	288	17761	4	18053
		% within Adult-Ped	54.1%	37.1%	28.6%	37.3%
	Hispanic	Count	128	10683	3	10814
		% within Adult-Ped	24.1%	22.3%	21.4%	22.4%
	Asian-Pacific Islander	Count	2	274	0	276
		% within Adult-Ped	.4%	.6%	.0%	.6%
	Am Indian-Alaskan	Count	1	89	0	90
		% within Adult-Ped	.2%	.2%	.0%	.2%
	Not Specified	Count	7	119	0	126
		% within Adult-Ped	1.3%	.2%	.0%	.3%
	Total	Count	532	47820	14	48366
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. State = Texas